



SAFETY DATA SHEET - SIMIX MULTI-SURFACE CERAMIC COATING

1 . IDENTIFICATION

Product Identifier: SIMIX SMX 6600 MULTI-SURFACE CERAMIC COATING

Other Means of Identification: None

Recommended Use: All proper and legal purposes

Recommended restrictions: None known

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name	Simix Solutions LLC
Address	9180 Prairie Village Drive Kenosha, WI 53142 USA
Website	simixusa.com
Telephone	262-705-2585
Email	jeff@simixusa.com
Emergency number	262-705-2585

2 . HAZARDS IDENTIFICATION

Physical hazards	Not classified.
OSHA HCS 2012	Eye 1 - H318 Causes serious eye damage Acute Toxicity 4 - H302 Harmful if swallowed Skin Irritation 2 - H315 Causes skin irritation STOT SE 3 - H335 May cause respiratory irritation.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified
Label elements	



Signal word	Danger
Hazard statement	H302 Harmful if swallowed. H315 Causes skin irritation H318 Causes serious eye damage H335 May cause respiratory irritation

PRODUCT IDENTIFIER: SIMIX SMX 6600 MULTI-SURFACE CERAMIC COATING
VERSION #1
DATE: SEPTEMBER 7 2018



SAFETY DATA SHEET - SIMIX MULTI-SURFACE CERAMIC COATING

Precautionary statements	P103 Read label before use. P102 Keep out of reach of children.
Prevention	P261 Avoid breathing dust/fume/gas/mist/vapors/spray. P280 Wear protective gloves/protective clothing/eye protection/face protection P264 Wash hands thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P271 Use only outdoors or in a well-ventilated area
Response	P310 Immediately call a doctor or POISON CENTER. P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. P330 Rinse mouth P302+P352 IF ON SKIN: Wash with plenty of water. P332+P313 If skin irritation occurs: Get medical advice/attention. P304+P340 IF INHALED: Remove victim to fresh air and place in comfortable position for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P362+P364 Take off contaminated clothing and wash it before reuse.
Storage/Disposal	P403+P233 Store in a well-ventilated place. Keep container tightly closed. P405 Store locked up. P501 Dispose of contents/container in accordance with local/regional/national/international regulation
Hazards not otherwise classified (HNOC)	None known
Supplemental information	None.

PRODUCT IDENTIFIER: SIMIX SMX 6600 MULTI-SURFACE CERAMIC COATING
VERSION #1
DATE: SEPTEMBER 7 2018



SAFETY DATA SHEET - SIMIX MULTI-SURFACE CERAMIC COATING

3. COMPOSITION / INFORMATION ON INGREDIENTS

Chemical name	CAS number	%
Trimethoxymethylsilane	1185-55-3	.1-1%
Acetic acid	64-19-7	.1-1%
Methanol	67-56-1	.1-.4%
2-Propanol	67-63-0	.1-.4%
Titanium dioxide	13463-67-7	<.1%
Potassium silicate	1312-76-1	1-10%
Potassium methyl silicate	31795-24-1	.5-1%
Proprietary ingredients		1%-10%

4. FIRST AID MEASURES

Inhalation Remove victim to fresh air. Call a poison center or doctor.

Skin contact Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs, get medical advice/attention. Wash contaminated clothing before reuse.

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Most important symptoms/effects, acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation. May cause redness and pain.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

PRODUCT IDENTIFIER: SIMIX SMX 6600 MULTI-SURFACE CERAMIC COATING

VERSION #1

DATE: SEPTEMBER 7 2018



SAFETY DATA SHEET - SIMIX MULTI-SURFACE CERAMIC COATING

General information If exposed or concerned, get medical advice/attention. If you feel unwell, get medical advice and show label where possible. Ensure that medical personnel are aware of the materials involved and take precautions to protect themselves. Shows this safety data sheet to the doctor in attendance.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media Water fog. Foam. Dry chemical powder. Carbon dioxide.

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

6. ACCIDENTAL RELEASE MEASURES

Protective precautions, protective equipment and emergency procedures:

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak.

Wear appropriate protective equipment and clothing during cleanup. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing.

Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see Section 8 of this SDS.

PRODUCT IDENTIFIER: SIMIX SMX 6600 MULTI-SURFACE CERAMIC COATING

VERSION #1

DATE: SEPTEMBER 7 2018



SAFETY DATA SHEET - SIMIX MULTI-SURFACE CERAMIC COATING

Methods and materials for containment and cleaning up

Large spills: Stop the flow of material, if you can do this without risk. Dike the spilled material where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand, or earth and place into containers. Follow product recovery, flush area with water.

Small spills: Wipe up with absorbent material (e.g., cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of this SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. HANDLING AND STORAGE

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid contact with skin, eyes and clothing. Pregnant or breastfeeding women must not handle this product. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid prolonged exposure. Should be used in closed systems if possible. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Occupational exposure limits

US OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

Component	CAS	Type	Value
2-Propanol	67-63-0	PEL	980 mg/m ³ 400 ppm
Acetic Acid	64-19-7	PEL	25 mg/m ³ 10 ppm
Methanol	67-56-1	PEL	260 mg/m ³ 200 ppm
Titanium Dioxide	13463-67-7	PEL	10 mg/m ³

PRODUCT IDENTIFIER: SIMIX SMX 6600 MULTI-SURFACE CERAMIC COATING

VERSION #1

DATE: SEPTEMBER 7 2018



SAFETY DATA SHEET - SIMIX MULTI-SURFACE CERAMIC COATING

US ACGIH Threshold Limit Values

Component	CAS	Type	Value
2-Propanol	67-63-0	STEL TWA	400 ppm 200 ppm
Acetic Acid	64-19-7	STEL TWA	15 ppm 10 ppm
Methanol	67-56-1	STEL TWA	250 ppm 200 ppm
Titanium Dioxide	13463-67-7	STEL TWA	— 10 mg/m ³

US NIOSH Pocket Guide to Chemical Hazards

Component	CAS	Type	Value
2-Propanol	67-63-0	STEL TWA	1225 mg/m ³ 500 ppm 980 mg/m ³ 400 ppm
Acetic Acid	64-19-7	STEL TWA	37 mg/m ³ 15 ppm 25 mg/m ³ 10 ppm
Methanol	67-56-1	STEL TWA	325 mg/m ³ 250 ppm 260 mg/m ³ 200 ppm
Titanium Dioxide	13463-67-7	STEL TWA	— 10 mg/m ³

PRODUCT IDENTIFIER: SIMIX SMX 6600 MULTI-SURFACE CERAMIC COATING

VERSION #1

DATE: SEPTEMBER 7 2018



SAFETY DATA SHEET - SIMIX MULTI-SURFACE CERAMIC COATING

Biological limit values

ACGIH Biological Exposure Indices

Component	CAS	Value	Determinant	Specimen	Sampling Time
2-Propanol	67-63-0	40 mg/l	Acetone	Urine	*
Methanol	67-56-1	15 mg/l	Methanol	Urine	*

Exposure guidelines

US-California OELs: Skin designation

Methanol (CAS 67-56-1) Can be absorbed through the skin.

US-Minnesota Haz Subs: Skin designation

Methanol (CAS 67-56-1) Skin designation applies.

US-Tennessee OELs: Skin designation

Methanol (CAS 67-56-1) Can be absorbed through the skin.

US ACGIH Threshold Limit Values: Skin designation

Methanol (CAS 67-56-1) Can be absorbed through the skin.

US NIOSH Pocket Guide to Chemical Hazards: Skin designation

Methanol (CAS 67-56-1) Can be absorbed through the skin.

Appropriate engineering controls

Good ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

The following are recommendations for Personal Protective Equipment (PPE). The employer/user of this product must conduct a hazard assessment of the workplace according to OSHA regulations 29 CFR 1910.132 to determine the appropriate PPE for use while performing any task involving this product.

Eye/face protection Protect eyes with appropriate goggles.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.

PRODUCT IDENTIFIER: SIMIX SMX 6600 MULTI-SURFACE CERAMIC COATING

VERSION #1

DATE: SEPTEMBER 7 2018



SAFETY DATA SHEET - SIMIX MULTI-SURFACE CERAMIC COATING

Other Wear appropriate chemical resistant clothing.

Respiratory protection

Wear appropriate respiratory protection.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking and or/smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance

Physical state	Liquid
Form	Liquid
Color	Clear Colorless

Odor Characteristic

Odor threshold Not available

pH Not available

Melting point/freezing point Not available

Initial boiling point/range 211.65 °F (99.81 °C) estimated

Flash point Not available

Evaporation rate Not available

Flammability (solid, gas) Not applicable

Upper/lower flammability or explosive limits

Flammability limit - lower Not available

Flammability limit - upper Not available

Explosive limit - lower Not available

Explosive limit - upper Not available

Vapor pressure Not available

Vapor density Not available

Relative density Not available

Solubility Not available

Partition coefficient Not available

(n-octanol/water)

Auto-ignition temperature Not available

Decomposition temperature Not available

Viscosity Not available

Other information

PRODUCT IDENTIFIER: SIMIX SMX 6600 MULTI-SURFACE CERAMIC COATING

VERSION #1

DATE: SEPTEMBER 7 2018



SAFETY DATA SHEET - SIMIX MULTI-SURFACE CERAMIC COATING

Density	8.36 lbs/gallon
Explosive properties	Not explosive
Oxidizing properties	Not oxidizing
Percent volatile	69.31% estimated
Specific gravity	1
VOC (Weight %)	2.42% estimated

10. STABILITY AND REACTIVITY

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials

Incompatible materials

Strong oxidizing agents, strong acids, aluminum, copper, brass, zinc

Hazardous decomposition products

Flammable hydrogen gas

11. TOXICOLOGICAL INFORMATION

Information on toxicological effects

Component name	CAS	Data
Potassium silicate	1312-76-1	Oral LD50 = 1300 mg/kg (rat)
Titanium dioxide	13463-67-7	Oral, rat: LD50 > 10 g/kg

PRODUCT IDENTIFIER: SIMIX SMX 6600 MULTI-SURFACE CERAMIC COATING

VERSION #1

DATE: SEPTEMBER 7 2018



SAFETY DATA SHEET - SIMIX MULTI-SURFACE CERAMIC COATING

GHS Properties	Classification
Acute toxicity	Classification criteria not met
Aspiration hazard	Classification criteria not met
Carcinogenicity	No data available
Germ Cell Mutagenicity	No data available
Respiratory sensitization	May cause respiratory irritation
Serious eye damage/Irritation	Causes serious eye damage
Skin corrosion/Irritation	May cause skin irritation
Skin sensitization	May cause skin irritation
STOT-RE	No data available
STOT-SE	May cause respiratory irritation
Toxicity for Reproduction	No data available

PRODUCT IDENTIFIER: SIMIX SMX 6600 MULTI-SURFACE CERAMIC COATING
VERSION #1
DATE: SEPTEMBER 7 2018



SAFETY DATA SHEET - SIMIX MULTI-SURFACE CERAMIC COATING

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Eye contact Causes serious eye irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause redness and pain.

Information on toxicological effects

Acute toxicity Not available.

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity

No data available to indicate product or any components present at greater than 1% are mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP or OSHA.

IARC Monographs, Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

US National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity

Suspected of damaging fertility and/or the unborn child.

Specific target organ toxicity - single exposure

Not classified

Specific target organ toxicity - repeated exposure

Not classified

Aspiration hazard Not an aspiration hazard

Chronic effects Prolonged inhalation may be harmful.

PRODUCT IDENTIFIER: SIMIX SMX 6600 MULTI-SURFACE CERAMIC COATING

VERSION #1

DATE: SEPTEMBER 7 2018



SAFETY DATA SHEET - SIMIX MULTI-SURFACE CERAMIC COATING

12. ECOLOGICAL INFORMATION

Ecotoxicity This product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Component	CAS	Type		Species	Test Results
2-Propanol	67-63-0	Aquatic Fish	LC50	Bluegill (Iepomis macrochirus)	>1400 mg/l, 96 hours
Acetic Acid	64-19-7	Aquatic Crustacea	EC50	Water flea (Daphnia magna)	65 mg/l, 48 hours
		Fish	LC50	Bluegill (Iepomis macrochirus)	75 mg/l, 96 hours
Methanol	67-56-1	Aquatic Crustacea	EC50	Water flea (Daphnia magna)	>10,000 mg/l, 48 hours
		Fish	LC50	Fathead minnow (Pimephales promelas)	> 100 mg/l, 96 hours
Titanium Dioxide		Aquatic	EC50	Water flea (Daphnia magna)	> 1000 ml/l
		Fish	LC50		> 1000 MG/L

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol/water (log Kow)

2-Propanol	.05
Acetic Acid	-0.17
Methanol	-0.77

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g., ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

PRODUCT IDENTIFIER: SIMIX SMX 6600 MULTI-SURFACE CERAMIC COATING

VERSION #1

DATE: SEPTEMBER 7 2018



SAFETY DATA SHEET - SIMIX MULTI-SURFACE CERAMIC COATING

13. DISPOSAL CONSIDERATIONS

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues/unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. TRANSPORT INFORMATION

	14.1 UN Number	14.2 UN Proper Shipping Name	14.3 Transport hazard class(es)	14.4 Packing group	14.5 Environmental hazards
DOT	Not regulated	Not regulated	Not regulated	Not regulated	NDA
TDG	Not regulated	Not regulated	Not regulated	Not regulated	NDA
IMO/IMDG	Not regulated	Not regulated	Not regulated	Not regulated	NDA
IATA/ICAO	Not regulated	Not regulated	Not regulated	Not regulated	NDA

PRODUCT IDENTIFIER: SIMIX SMX 6600 MULTI-SURFACE CERAMIC COATING

VERSION #1

DATE: SEPTEMBER 7 2018



SAFETY DATA SHEET - SIMIX MULTI-SURFACE CERAMIC COATING

15. REGULATORY INFORMATION

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Acetic Acid (CAS 64-19-7) Listed

Methanol (CAS 67-56-1) Listed

SARA 304 Emergency release notification

Not regulated

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories
Immediate Hazard - Yes
Delayed Hazard - Yes
Fire Hazard - No
Pressure Hazard - No
Reactivity Hazard - No

SARA 302 Extremely hazardous substance Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting) Not regulated

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Methanol (CAS 67-56-1)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated

FEMA Priority Substances Respiratory Health and Safety in the Flavor

Manufacturing Workplace

2-Propanol (CAS 67-63-0) Low priority

Acetic Acid (CAS 64-19-7) High priority

PRODUCT IDENTIFIER: SIMIX SMX 6600 MULTI-SURFACE CERAMIC COATING

VERSION #1

DATE: SEPTEMBER 7 2018



SAFETY DATA SHEET - SIMIX MULTI-SURFACE CERAMIC COATING

US state regulations

US California Controlled Substances, CA Dept of Justice (Calif. Health and Safety Code Section 11100)

Not listed.

US California. Candidate Chemicals List. Safe Consumer Products Regulations (Cal. Code Regs., tit. 22, 69502.3, subd. (a))

2-Propanol (CAS 67-63-0)

Methanol (CAS 67-56-1)

Titanium Dioxide (CAS 13463-67-7)

US Massachusetts RTK - Substance List

2-Propanol (CAS 67-63-0)

Acetic Acid (CAS 64-19-7)

Methanol (CAS 67-56-1)

US New Jersey Worker and Community Right to Know Act

2-Propanol (CAS 67-63-0)

Acetic Acid (CAS 64-19-7)

Methanol (CAS 67-56-1)

Titanium Dioxide (CAS 13463-67-7)

US Pennsylvania Worker and Community Right to Know Law

2-Propanol (CAS 67-63-0)

Acetic Acid (CAS 64-19-7)

Methanol (CAS 67-56-1)

Titanium Dioxide (CAS 13463-67-7)

US Rhode Island RTK

2-Propanol (CAS 67-63-0)

Acetic Acid (CAS 64-19-7)

Methanol (CAS 67-56-1)

US California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

US California Proposition 65- CRT: Listed date/developmental toxin

Methanol (CAS 67-56-1) Listed March 16, 2012

PRODUCT IDENTIFIER: SIMIX SMX 6600 MULTI-SURFACE CERAMIC COATING

VERSION #1

DATE: SEPTEMBER 7 2018



SAFETY DATA SHEET - SIMIX MULTI-SURFACE CERAMIC COATING

International Inventories

Country or Region	Inventory name	Is Simix Ceramic Exterior Coating on inventory (yes/no)
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substance List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
US and Puerto Rico	Toxic Substances Control Act Inventory (TSCA)	No

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the products are not listed or exempt from listing on the inventory by the governing country(s)

PRODUCT IDENTIFIER: SIMIX SMX 6600 MULTI-SURFACE CERAMIC COATING

VERSION #1

DATE: SEPTEMBER 7 2018



SAFETY DATA SHEET - SIMIX MULTI-SURFACE CERAMIC COATING

Australian Regulations

Component	CAS	% of mixture	Australian Inventory of Chemical Substances (AICS) (listed yes or no)	Do secondary notification conditions apply?
Trimethoxymethylsilane	1185-55-3	.1-5%	Yes	No
Acetic acid	64-19-7	.1-5%	Yes	No
Methanol	67-56-1	.1-.8%	Yes	No
2-Propanol	67-63-0	.1-.8%	Yes	No
Titanium dioxide	13463-67-7	<.1%	Yes	No
Silicic Acid	1312-76-1	.1-8%	Yes	No

16. OTHER INFORMATION, INCLUDING DATE OF PREPARATION OR LAST REVISION

Issue Date August 23, 2018

Version # 01

HMIS ratings Health: 0
Flammability: 0
Physical hazard: 0

NFPA ratings Health: 0
Flammability: 0
Instability: 0

Disclaimer

The information contained herein is believed to be accurate but is not warranted to be so. Data and calculations are based on information furnished by the manufacturer of the product and manufacturers of the components of the product. Users are advised to confirm in advance of need that information is current, applicable and suited to the circumstance of use. Vendor assumes no responsibility for injury to vendee or third persons proximately caused by the material if reasonable safety procedures are not adhered to as stipulated in the data sheet. Furthermore, vendor assumes no responsibility for injury caused by abnormal use of this material even if reasonable safety procedures are followed. Any questions regarding this product should be directed to the manufacturer of the product as described in Section 1.

PRODUCT IDENTIFIER: SIMIX SMX 6600 MULTI-SURFACE CERAMIC COATING

VERSION #1

DATE: SEPTEMBER 7 2018

